

Pathostat 64

Cleaner, Disinfectant, Non-Food Contact Sanitizer,
Deodorizer, Fungicide, Mildewstat, Virucide*



Item Number	UPC Case	UPC Each	Size	Case Weight	Cases/Pallet	Yield Per Pack
1043018	071206643018	071206645012	4x1 gal	37 lbs	48	1 Gallon
2343025	071206643025	N/A	36x4oz	11 lbs	75	2 Gallons
2343032	071206643032	071206645029	2x10x.5oz	4 lbs	100	1 Quart
2343049	071206643049	N/A	10x10oz	8 lbs	100	5 Gallons
2343056	071206643056	N/A	72x2oz	11 lbs	75	1 Gallon
2343070	071206643070	N/A	144x.5oz	7.25 lbs	75	1 Quart
2343087	071206643087	N/A	25x.5oz	1.75 lbs	162	1 Quart
2343094	071206643094	071206645029	10x.5oz	1.5 lbs	200	1 Quart
2343117	071206643117	071206645029	10x10x.5oz	5.5 lbs	64	1 Quart
2343124	071206643124	N/A	72x2.25oz	13.75 lbs	75	1 Quart
2943131	071206643131	N/A	12x32oz bottle	3.5 lbs	40	1 Quart

DIRECTIONS FOR USE

It is a violation of Federal law to use Pathostat64 in a manner inconsistent with its labeling.
Before using Pathostat64, food products and packaging materials must be removed from room or carefully protected. Pathostat64 is not for use on medical device surfaces.

FOR USE AS A GENERAL, HOSPITAL DISINFECTANT, FUNGICIDE, VIRUCIDE*, DEODORIZER CLEANER:

- Pre-clean heavily soiled areas.
- Apply use solution of 2 oz. of this product per gal. of water (or equivalent use dilution) to disinfect hard, non-porous, non-food contact surfaces with a sponge, brush, cloth, mop, by immersion, auto scrubber, mechanical spray device, hand pump, coarse trigger spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray.
- Treated surfaces must remain visibly wet for 10 minutes. 2 minutes to kill SARS-CoV-2 or for 10 minutes to kill all organisms (listed on the label).
- Allow to air dry.
- Prepare a fresh solution daily or when visibly dirty.

TO KILL SARS-COV-2: Pre-clean visibly soiled areas. Apply a use solution of 2 oz. of this product per gal. of water (or equivalent use dilution) to hard, non-porous surfaces. Allow treated surfaces to remain visibly wet for 2 minutes. Rinse with potable water after use on surfaces that come in contact with food.

BLOODBORNE PATHOGEN INSTRUCTIONS:

***KILLS HIV, HBV and HCV ON PRE-CLEANED HARD, NON-POROUS SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of hard, non porous surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS), Hepatitis B Virus (HBV) and Hepatitis C Virus (HCV).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HBV and HCV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

Personal Protection: Wear protective latex gloves, gowns, masks and eye protection. sable latex gloves, gowns, masks

Cleaning Procedure: Blood and other body fluids (containing HIV-1, HBV & HCV) must be thoroughly cleaned from hard, non porous surfaces and objects before application of this product. **Disposal of Infectious Materials:** Blood and other body fluids, cleaning materials and clothing must be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal. **Contact Time:** Allow hard, non-porous surfaces to remain visibly wet for 2 minutes to kill HIV and 10 minutes for all organisms listed on the label.

TO KILL FUNGI: Pre-clean visibly soiled areas. Prepare use solution by adding 2 oz. of this product per gal. of water (or equivalent use dilution).

TO CONTROL MOLD/MILDEW: Pre-clean visibly soiled areas. Prepare use solution by adding 2 oz. of this product per gal. of water (or equivalent use dilution). Apply use solution to hard, non-porous surfaces which will effectively inhibit the growth of mold and mildew and their odors. Repeat treatment every seven days, or more often if new growth appears.

Prior to use of this product, remove all animals and feeds from premises, animal transportation vehicles, and enclosures. Remove all litter, droppings and manure from floors, walls and surfaces of barns, pens, stalls, chutes and other surfaces of facilities and fixtures occupied or traversed by animals. Empty all troughs, racks and other feeding and watering appliances. Thoroughly clean surfaces with soap or detergent and rinse with water.

FOR USE AS AN ANIMAL PREMISE

DISINFECTANT/VIRUCIDE*: Prepare a use solution of 2 oz. of this product per gal. of water (or equivalent use dilution) (1:64) (660 ppm) for effectiveness against designated animal viruses on the label.

FOR USE AS AN ANIMAL PREMISE

DISINFECTANT/VIRUCIDE:** Prepare a use solution of 9 oz. of this product per gal. of water (or equivalent use dilution) (1:14) (2970 ppm) for effectiveness against designated animal viruses on the label.

Apply use solution to disinfect hard, non-porous surfaces with a sponge, brush, cloth, (by immersion), (mechanical spray device,) (hand pump) (coarse) trigger spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray. Immerse all halters and other types of

equipment used in handling and restraining animals, as well as forks, shovels, and scrapers used for removing litter and manure in the use solution. Treated surfaces must remain visibly wet for 10 minutes. Ventilate buildings, coops and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set or dried. Thoroughly scrub all treated feed racks, troughs, automatic feeders, fountains and waterers and other treated equipment which can contact food or water with soap or detergent, and rinse with potable water before reuse.

VEHICLES: To clean hard, non-porous surfaces on vehicles including mats, crates, cabs, and wheels, use 2 oz. of this product per gal. of water (or equivalent use dilution). Apply use solution to hard, non-porous surfaces on vehicles. Leave treated surfaces visibly wet for 10 minutes. Allow to air dry.

Chemical Characteristics

Appearance	Red Liquid
Biodegradable	Yes
Corrosive Category (Concentrate).....	Eye Damage 1
Corrosive Category (Use Dilution).....	No
DEA-Free	Yes
Fragrance	Fresh Scent
Non-Acid	Yes
Non-Butyl	Yes
Non-Flammable	Yes
NPE-Free	Yes
NSF Certified	D2
pH (Concentrate).....	11.0-11.5
pH (Use Dilution 1:64).....	9.7-9.9
Phosphate-Free	Yes
VOC	None

Active Ingredients

Dimethyl Benzyl Ammonium Chloride.....	2.54%
Alkyl (50% C ₁₄ , 40% C ₁₂ , 10% C ₁₆)	
Dimethyl Ethylbenzyl Ammonium Chloride	1.69%
OTHER INGREDIENTS:	95.77%
TOTAL:	100.00%
EPA Reg. No. 10324-154-3640	EPA Est. No. 3640-WI-1

STEARNS PACKAGING CORPORATION

4200 Sycamore Avenue (53714) • P.O. Box 14495, Madison, Wisconsin 53708

Telephone: (800) 655-5008 • (608) 246-5150 • Fax: (608) 246-5149

E-mail: stearns@stearnspkg.com • Website: <http://www.stearnspkg.com>

