

Trade name: I & I Calcium, Lime and Rust Remover

Product identifier I & I Calcium, Lime and Rust Remover #2109395

Other means of identification AM10

Recommended use Non-foaming acid cleaner to remove stubborn mineral deposits

Recommended restrictionsNot to be mixed with anything but water.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Telephone

Company name Stearns Packaging Corporation **Address** 4200 Sycamore Avenue (53714)

PO Box 3216

Madison, WI 53704-0216 Phone: 800-655-5008

Fax 1-608-246-5149

Emailstearns@stearnspkg.comWebsitewww.stearnspkg.com

Emergency phone number ChemTel Inc. (800)255-3924, +1 (813)248-0585

2. Hazards Identification

Physical hazards:Corrosive to metals.Category 1Health hazardsSkin corrosion/irritationCategory 1CSerious eye damage/eye irritationCategory 1

Label elements



Signal word Danger

Hazard statement Causes severe skin burns and serious eye damage. May be corrosive to

metals.

Precautionary statement

Prevention Wash hands thoroughly after handling. Wear protective gloves/protective

clothing/eye protection. Do not breathe mists. Keep only in original container.

Response IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. Immediately call a poison

center/doctor.

IF SWALLOWED: Immediately call a POISON CENTER or physician. Rinse

mouth. DO NOT induce vomiting.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. Immediately call a

poison center / doctor.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or a

physician.

Absorb spillage to prevent material damage.

(Contd. on page 2)

Trade name: I & I Calcium, Lime and Rust Remover

(Contd. from page 1)

Storage Store locked up. Store in a corrosive resistant container with a resistant inner

liner.

Disposal Dispose of contents in accordance with local regulations.

Hazard(s) not otherwise

None known.

classified (HNOC)

Supplemental information None.

3. Composition/Information on Ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Phosphoric acid		7664-38-2	40-50%

4. First-Aid Measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for

breathing. Get medical attention immediately.

Skin contact Take off contaminated clothing immediately. Flush with cool water. Wash

with soap and water. Get medical attention immediately. Wash clothing

before reuse.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses,

if applicable, and continue flushing for 15 minutes. Get medical attention

immediately.

Ingestion Rinse mouth. Do not induce vomiting. Never give anything by mouth to a

victim who is unconscious or is having convulsions. Get medical attention

immediately.

Most important symptoms/ effects, acute and delayed

 $\label{eq:continuity} \mbox{Symptoms may include stinging, tearing, redness, swelling, and blurred}$

vision. Skin irritation. May cause redness and pain.

Indication of immediate

medical attention and special

treatment needed

Symptoms may be delayed.

General information Ensure that medical personnel are aware of the material(s) involved, and

take precautions to protect themselves.

5. Fire-Fighting Measures

Suitable extinguishing media

Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

Not available.

(Contd. on page 3)

Trade name: I & I Calcium, Lime and Rust Remover

(Contd. from page 2)

Specific hazards arising from

the chemical

During fire, toxic gases hazardous to health may be formed.

Special protective equipment

and precautions for

firefighters

Self-contained breathing apparatus and full protective clothing must be

worn in case of fire.

Fire-fighting

equipment/instructions

Specific methods

Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other

involved materials.

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep out of low areas. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spill-

ages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up This product is miscible in water. Stop the flow of material, if this is without risk.

Large Spills: Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see

section 13 of the SDS.

Environmental precautions

Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water

courses or onto the ground.

7. Handling and Storage

Precautions for safe handling

Do not get this material in contact with eyes. Avoid contact with skin. Avoid prolonged exposure. Avoid contact with clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Use care in handling/storage. Avoid release to the environment. Do not empty into drains.

Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Store away from incompatible materials (see Section 10 of the SDS).

Keep out of reach of children. Store between -30° and 45°C.

(Contd. on page 4)

Trade name: I & I Calcium, Lime and Rust Remover

(Contd. from page 3)

8. Exposure Controls/Personal Protection

Occupational exposure limits

US. ACGIH Threshold Limit Values

Components Value **Type** Phosphoric Acid 1 mg/m³ (CAS 7664-38-2)

> **STEL** 3 mg/m³

US. OSHA Table Z-1 Limits for Air Contaminants

Value Components **Type PEL** 1 mg/m³ Phosphoric Acid

(CAS 7664-38-2)

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering General ventilation normally adequate. Provide suitable facilities for quick

controls drenching or flushing of the eyes and body in case of contact or splash

hazard.

Individual protection measures, such as personal protective equipment

Exposure guidelines

Eye/face protection Wear safety glasses with side shields or goggles.

Skin protection

Hand protection Rubber gloves. Confirm chemical compatibility with a reputable supplier first.

Other As required by employer code.

Respiratory protection A respirator is not needed under normal conditions of use.

Thermal hazards Not available.

General hygiene Always observe good personal hygiene measures, such as washing considerations after handling the material and before eating, drinking, and/or smoking.

Routinely wash work clothing and protective equipment to remove

contaminants.

9. Physical and Chemical Properties

Appearance Clear **Physical state** Liquid. Color Orange.

Odor Slight detergent chemical odor, no fragrance added.

Odor threshold Not available. < 0.5 (Concentrate) pН Melting point/freezing point Not available.

Initial boiling point and

boiling range

> 212 °F (> 100 °C)

(Contd. on page 5)

Trade name: I & I Calcium, Lime and Rust Remover

(Contd. from page 4)

Pour point Not available.

Specific gravity 1.28

Partition coefficient Not available.

(n-octanol/water)

Flash point Not available.

Evaporation rate < 1 (BuAc=1)

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Vapor pressure Not available. Not available. Vapor density Not available. Relative density Solubility(ies) Complete **Auto-ignition temperature** Not available. **Decomposition temperature** Not available.

Other information

Viscosity

Bulk density 10.66 lb/gal

10. Stability and Reactivity

Reactivity None known.

Possibility of hazardous Hazardous polymerization does not occur.

< 100 cP

reactions

Chemical stability Material is stable under normal conditions.

Conditions to avoid Do not mix with other chemicals.

Incompatible materials Oxidizers. Reducing agents.

Hazardous decomposition

products

Alkalis, organic materials, metals, and moisture. Do not mix with bleach or chlorinated products as chlorine gas will result. Hazardous decomposition

should not be produced under normal conditions of storage and use.

Trade name: I & I Calcium, Lime and Rust Remover

(Contd. from page 5)

(Contd. on page 7)

11. Toxicological Information

Information on likely routes of exposure

Skin contact Skin contact may cause pain or irritation, redness, or blistering.

Eye contact Causes serious eye damage. Direct contact with eyes may cause pain,

watering and redness.

Inhalation Prolonged inhalation of mists may produce symptoms of coughing and respi-

ratory tract irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical andSymptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation.

toxicological characteristics May cause redness, pain, irritation, and blistering.

Information on toxicological effects

Acute toxicity Oral, LD50 (rat), mixture, 5,460 mg/kg

Components	Species	Test Results
Phosphoric acid, 75% (CAS 7664-38	-2)	
Acute		
Dermal		
LD50	Rabbit	3,160 mg/kg
Inhalation		
LC50		not available
Oral		
LD50	Rat	1,530 mg/kg
Skin corrosion/irritation	Causes severe skin burr	ns.
Exposure minutes	Not available.	
Erythema value	Not available.	
Oedema value	Not available.	
Serious eye damage/eye irritation	Causes serious eye dam watering, and redness.	nage. Direct contact with eyes may cause pain
Corneal opacity value	Not available.	
Iris lesion value	Not available.	
Conjunctival reddening value	Not available.	
Recover days	Not available.	
Respiratory or skin sensitization		
Respiratory sensitization	Not available.	
Skin sensitization	This product is not expec	cted to cause skin sensitization.

Trade name: I & I Calcium, Lime and Rust Remover

(Contd. from page 6)

Germ cell mutagenicityNo data available to indicate product or any components present at greater

than 0.1% are mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or

OSHA.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not available.

Chronic effects Prolonged inhalation may result in coughing and respiratory tract irritation.

Further information Not available.

12. Ecological Information

Ecotoxicity No know significant effects or critical hazards.

Components Species Test Results

Phosphoric acid (CAS 7664-38-2)

Aquatic

Fish LC50 Mosquito fish 138 mg/l, 96 hours

* Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potentialNo data available.Mobility in soilNo data available.Mobility in generalNot available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical

ozone creation potential, endocrine disruption, global warming potential) are

expected from this product.

Trade name: I & I Calcium, Lime and Rust Remover

13. Disposal Considerations

(Contd. from page 7)

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal

site. This material and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national

regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code The

The waste code should be assigned in discussion between the user, the

producer and the waste disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be

disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for

recycling or disposal. Since emptied containers may retain product residue.

follow label warnings even after container is emptied.

14 Transport information

14.1 UN-Number

NA1760

• 14.2 UN proper shipping name

• DOT-AIR, ADR, ADN, IMDG, IATA

• DOT-LAND (ST-1257)

Cleaning Compounds, NOI, liquid.

• DOT-AIR (ST-1257)

NA1760, Compounds, cleaning liquid, (containing

phosphoric acid), 8, PG III, Ltd. Qty.

• 14.3 Transport hazard class(es)

This product can ship as Limited Quantity if packaged in ≤5 quarts (5.0 Liters) containers (Non Hazardous)

• DOT-AIR, IMDG, IATA (ST-1257)



8 Corrosive

Class

8

• Label

• DOT-LAND (ST-1257)



• Class N/A

• Label LTD. QTY.

Trade name: I & I Calcium, Lime and Rust Remover

(Contd. from page 8)

14.4 Packing group DOT, ADR, IMDG, IATA	III	
• 14.5 Environmental hazards:		
Marine pollutant:	No	
• 14.6 Special precautions for user	Warning: Corrosive Substances	
Danger Code:	80	
• EMS Number	F-A,S-B	
Segregation groups	Alkalis	
• 14.7 Transport in bulk according to Annex II of		
MARPOL73/78 and the IBC Code	Not applicable.	
Transport/Additional information:	Not applicable.	

15. Regulatory Information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

TSCA Section 8(b) Inventory: All components are listed or exempted.

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Phosphoric acid, 5,000 lbs.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Immediate Hazard - Yes **Hazard categories**

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely

hazardous substance

SARA 311/312 Hazardous

Acute: yes

No

chemical

SARA 313 (TRI reporting) No

(Contd. on page 10)

Trade name: I & I Calcium, Lime and Rust Remover

(Contd. from page 9)

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA)

Not regulated.

Food and Drug Administration (FDA)

Not regulated.

US state regulations

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

None

US. Massachusetts RTK - Substance List

Phosphoric acid (CAS 7664-38-2)

US. New Jersey Worker and Community Right-to-Know Act

Phosphoric acid (CAS 7664-38-2)

US. Pennsylvania RTK - Hazardous Substances

Phosphoric acid (CAS 7664-38-2)

US. Rhode Island RTK

Phosphoric acid (CAS 7664-38-2)

Country(s) or region Inventory name

On inventory (yes/no)*

Yes

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s)

Trade name: I & I Calcium, Lime and Rust Remover

(Contd. from page 10)

16. Other Information

Disclaimer Information contained herein was obtained from sources considered

technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Issue date 5/23/2018

SDS File Name AM10 I & I Calcium, Lime and Rust Remover SDS

Further information Not available.

Stearns Packaging Corporation makes no warranty, representation or guarantee as to the accuracy, sufficiency or completeness of the material set forth herein. It is the user's responsibility to determine the safety, toxicity and suitability of his own use, handling and disposal of this product. Since actual use by others is beyond our control, no warranty, expressed or implied, is made by Stearns Packaging Corporation as to the effects of such use, the results to be obtained or the safety and toxicity of this product, nor does Stearns Packaging Corporation assume any liability arising out of the use by others of this product referred to herein. The data in this SDS relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process. Stearns Packaging Corporation does not recommend blending this product with any other chemicals. All information, recommendations and data contained herein concerning this product are based upon information available at the time of writing from recognized technical sources.