

Trade name: TreadMate® Quarry Tile Floor Cleaner

#### 1 Identification of the substance/mixture and of the company/undertaking

• 1.1 Product identifier

Trade name: TreadMate® Quarry Tile Floor Cleaner

ST-0706

• Article number: AM91

• 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

• Application of the substance / the preparation Floor Cleaner

Product dilution information: Mix the contents of one 2 fl. oz. (59.14 ml) pack with 4 gallons (15 L) of water.

- 1.3 Details of the supplier of the Safety Data Sheet
- Manufacturer/Supplier:

Stearns Packaging Corporation 4200 Sycamore Avenue (53714)

PO Box 3216

Madison, WI 53704-0216 Phone: 800-655-5008 Fax: 1-608-246-5149

Email: stearns@stearnspkg.com
Website: www.stearnspkg.com
• 1.4 Emergency telephone number:

ChemTel Inc.

(800)255-3924, +1 (813)248-0585

#### 2 Hazards identification

<ul> <li>2.1 Classification</li> </ul>	of the subs	tance or mixture
--	-------------	------------------

Classification according to Regulation (EC) No 1272/2008		
Product as SOLD	Product at USE DILUTION	
GHS05	Not classified.	
Skin Corr. Irrit. 1C, Eye Dam. 1 H314+H318 Causes severe skin burns and serious eye damage.	Not classified.	

- Classification according to Directive 67/548/EEC or Directive 1999/45/EC
- Classification system:

The classification is according to the latest editions of the EU-lists and extended by company and literature data.

The classification is in accordance with the latest editions of international substances lists and is supplemented by information from technical literature and by information provided by the company.

Trade name: TreadMate® Quarry Tile Floor Cleaner

	(Contd. from page 1)
• 2.2 Label elements	
Product as SOLD	Product at USE DILUTION
Labeling according to Regulation (EC) No 1272/2008	
The product is classified and labeled according to the CLP regulation.	The mixture does not meet the criteria for classification.
Hazard pictograms	
	None
GHS05	
Signal word Danger	None
Hazard-determining components of labeling:	
glycolic acid	Not applicable.
Hazard statements	
H314+H318 Causes severe skin burns and serious eye damage	Avoid contact with eyes.
Precautionary statements	
P280 Wear protective gloves/eye protection. P264 Wash hands thoroughly after handling. P260 Do not breathe mists. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. P337+P313: If eye irritation persists get medical advice/ attention P303+P361+P353+P363: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. P332+P313 If skin irritation occurs: Get medical advice/ attention. P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing. P310: Immediately call a POISON CENTER or doctor. P405: Store locked up. P501 Dispose of contents/container in accordance with local regulations.	Wear protective eyewear if eye contact is possible.

## 3 Composition/information on ingredients

- 3.2 Mixtures
- Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:		
CAS: 68439-46-3 NLP: 500-446-0	alcohols, C9-11, ethoxylated  Xi R36/38  Skin Irrit. 2, H315; Eye Irrit. 2A, H319	<15%
	• Citir III. 2, 11616, 2ye III. 27, 11616	

Trade name: TreadMate® Quarry Tile Floor Cleaner

(Contd. from page 2)

## 3 Composition/information on ingredients

#### • 3.2 Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:		
CAS: 79-14-1 EINECS: 201-180-5	glycolic acid	<10%
LINEOS. 201-100-3	C R34; Xn R22	
	Skin Corr. 1B, H314; Eye Dam. 1, H318	
CAS: 25155-30-0	sodium dodecylbenzenesulphonate, pure	<10%
EINECS: 246-680-4	Xn R22; Xi R36	
	Acute Tox. 4, H302; Eye Irrit. 2A, H319	
CAS: 77-92-9	citric acid	<5%
EINECS: 201-069-1	<b>X</b> Xi R36	
	Eye Irrit. 2A, H319	

<sup>•</sup> Additional information: For the wording of the listed risk phrases refer to section 16.

### 4 First-aid measures

• 4.1 Description of first aid measures		
Product as SOLD	Product at USE DILUTION	
After inhalation:     Supply fresh air; consult doctor in case of complaints.	No special measures required. Treat symptomatically.	
<ul> <li>After skin contact:         Wash with water and rinse thoroughly. If skin irritation continues consult a doctor.</li> </ul>	No known effect after skin contact. Rinse with water for a few minutes.	
<ul> <li>After eye contact:         Remove contact lenses if worn.     </li> <li>Rinse opened eye for several minutes under running water.</li> <li>If symptoms persist consult a doctor.</li> </ul>	No known effect after eye contact. Rinse with water for a few minutes. If irritation persists, get medical attention.	
<ul> <li>After swallowing:         Rinse out mouth and then drink plenty of water.         Do not induce vomiting; call for medical help immediately.     </li> </ul>	Get medical attention if symptoms occur.	
4.2 Most important symptoms and effects both acute and delayed     Strong irritant with the danger of severe eye injury.     Irritant to skin and mucous membranes.     Gastric or intestinal disorders.     Gastric or intestinal disorders.	No known effects.	
Hazards Danger of severe eye injury.	No known effects.	
• 4.3 Indication of any immediate medical attention and special treatment needed		
No further relevant information available.	No further relevant information available.	

Trade name: TreadMate® Quarry Tile Floor Cleaner

(Contd. from page 3)

### 5 Fire-fighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- For safety reasons unsuitable extinguishing agents: None.
- 5.2 Special hazards arising from the substance or mixture

  Formation of toxic gases is possible during heating or in case of

Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

• Additional information No further relevant information available.

### 6 Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures		
Product as SOLD	Product at USE DILUTION	
Wear protective equipment. Keep unprotected persons away. Use respiratory protective device against the effects of fumes/dust/aerosol. Ensure adequate ventilation	Use personal protective equipment as required.	
• 6.2 Environmental precautions:		
Dilute with plenty of water.  Dilute with plenty of water.		
• 6.3 Methods and material for containment and cleaning up:		
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  Send for recovery or disposal in suitable receptacles.  Clean the affected area carefully; suitable cleaners are:  Warm water	Large Spills: Flush area with water. Prevent entry into waterways. Small Spills: Wipe up with absorbent material.	
• 6.4 Reference to other sections		
See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.	See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.	

### 7 Handling and storage

• 7.1 Precautions for safe handling		
Product as SOLD	Product at USE DILUTION	
Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.	Wash hands thoroughly after handling.	
• Information about fire - and explosion protection:		
No special measures required.	No precautions necessary.	
• 7.2 Conditions for safe storage, including any incompatibilities		

(Contd. on page 5)

Trade name: TreadMate® Quarry Tile Floor Cleaner

(Contd. from page 4)

Product as SOLD	Product at USE DILUTION	
• Storage:		
Requirements to be met by storerooms and receptacles:		
Avoid storage near extreme heat, ignition sources or open flame. Unsuitable material for receptacle: aluminium.	Avoid storage near extreme heat, ignition sources or open flame. Unsuitable material for receptacle: aluminium.	
• Information about storage in one common storage facility		
Store away from foodstuffs. Store away from oxidizing agents. Store away from oxidizing agents. Store away from oxidizing agents.		
Further information about storage conditions:		
Store in cool, dry conditions in well sealed receptacles.	No storage precautions necessary.	
• 7.3 Specific end use(s)		
No further relevant information available.		

## 8 Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.		
Product as SOLD	Product at USE DILUTION	
• 8.1 Control parameters		
• Ingredients with limit values that require monitoring at the	workplace:	
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.  • DNELs No further relevant information available.  • PNECs No further relevant information available.  • Additional information: The lists valid during the making were used as basis.		
• 8.2 Exposure controls		
Personal protective equipment:		
General protective and hygienic measures:		
The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.	when handling chemicals.  Keep away from foodstuffs, beverages and feed.	
Respiratory protection:		
Not necessary if room is well-ventilated. Use suitable respiratory protective device when high concentrations are present. For spills, respiratory protection may be advisable. NIOSH approved organic vapor respirator equipped with a dust/mist prefilter should be used.	Not necessary if room is well-ventilated. Use suitable respiratory protective device when high concentrations are present. For spills, respiratory protection may be advisable. NIOSH approved organic vapor respirator equipped with a dust/mist prefilter should be used.	

(Contd. on page 6)

Trade name: TreadMate® Quarry Tile Floor Cleaner

Protection of hands:	
Product as SOLD	Product at USE DILUTION
Avoid direct contact with the chemical/ the product/ the preparation by organizational measures. Use gloves constructed of chemical resistant material such as heavy nitrile rubber.  Protective gloves	No protective equipment is needed under normal conditions.
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.	
Material of gloves	
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.	No protective equipment is needed under normal conditions.
Penetration time of glove material	
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.	No protective equipment is needed under normal conditions.
For the permanent contact gloves made of the following ma	aterials are suitable: Rubber gloves
Eye protection:	
Contact lenses should not be worn.  Tightly sealed goggles	No protective equipment is needed under normal conditions.
Body protection:	
Protective work clothing.	No protective equipment is needed under normal conditions.
Limitation and supervision of exposure into the environment	nt
No further relevant information available.	No further relevant information available.
Risk management measures	
See Section 7 for additional information.  No further relevant information available.	See Section 7 for additional information.  No further relevant information available.

Trade name: TreadMate® Quarry Tile Floor Cleaner

(Contd. from page 6)

### 9 Physical and chemical properties

	Product as SOLD	Product at USE DILUTION	
• 9.1 Information on basic physical and chemical properties			
General Information Appearance: Form: Color: Odor: Odor threshold:  pH-value at 25 °C:	Liquid Blue-green Citrus-floral fragrance Not determined. 3.2 ± 0.2	Liquid Light blue-green Slight citrus-floral fragrance Not determined. 5.0 - 5.5	
Change in condition     Melting point/Melting range:     Boiling point/Boiling range:	Undetermined. >212 °F / 100 °C	Undetermined. >212 °F / 100 °C	
• Flash point:	Not available	Not available	
• Flammability (solid, gaseous):	Not applicable.	Not applicable.	
Ignition temperature:	Not determined.	Not determined.	
Decomposition temperature:	Not determined.	Not determined.	
Self-igniting:	Product is not self-igniting.	Product is not self-igniting.	
Danger of explosion:	Product does not present an explosion hazard.	Product does not present an explosion hazard.	
Explosion limits:     Lower:     Upper:      Vapor pressure at 20 °C:	Not determined. Not determined. 23 hPa	Not determined. Not determined. Not determined.	
Density at 20 °C:     Relative density     Vapor density     Evaporation rate     Solubility in / Miscibility with water:	1.1 g/cm³ Not determined. Not determined. Not determined. Fully miscible.	Not determined. Not determined. Not determined. Not determined. Complete	
Partition coefficient (n-octanol/water):	Not determined.	Not determined.	
Viscosity:     Dynamic at 20 °C:     Kinematic:	<100 mPas Not determined.	Not determined. Not determined.	
Solvent content:     Organic solvents:     Water:	0.0 % 60.0 %	0.0 % 99.6 %	
Solids content: • 9.2 Other information	34.0 % No further relevant information available.	0.13 % No further relevant information available.	

Trade name: TreadMate® Quarry Tile Floor Cleaner

(Contd. from page 7)

### 10 Stability and reactivity

- 10.1 Reactivity Not determined.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

• 10.3 Possibility of hazardous reactions

Toxic fumes may be released if heated above the decomposition point.

Exothermic reaction with acids.

Reacts with strong oxidizing agents.

- 10.4 Conditions to avoid Store away from oxidizing agents.
- 10.5 Incompatible materials: No further relevant information available.

### 11 Toxicological information

11.1 Information on toxicological effects	
Product as SOLD	Product at USE DILUTION
• Acute toxicity: >5,000 mg/kg	Non-toxic at use-dilution.
LD/LC50 values relevant for classification:	LD/LC50 values relevant for classification:
79-14-1 glycolic acid	No known significant effects or critical hazards.
Oral LD50 2040 mg/kg (rat)	
Primary irritant effect:	
on the skin: Irritant to skin and mucous membranes.	No adverse effects due to skin contact are expected.
• on the eye: Strong irritant with the danger of severe eye injury.	Direct contact with eyes may cause temporary irritation.
• Sensitization: No sensitizing effects known.	
Additional toxicological information:	
The product shows the following dangers according to the cal Classification Guidelines for Preparations as issued in the late	
Irritant	Not classified

### 12 Ecological information

• 12.1 Toxicity	
Aquatic toxicity:	
Product as SOLD	Product at USE DILUTION
The product contains materials that are harmful to the environment.	No data available.
• 12.2 Persistence and degradability The product is biodegra	dable. Significant residuals remain.
• 12.3 Bioaccumulative potential No further relevant informat	ion available.
• 12.4 Mobility in soil No further relevant information available	·

Trade name: TreadMate® Quarry Tile Floor Cleaner

(Contd. from page 8)

Product as SOLD	Product at USE DILUTION
Ecotoxical effects:	
<ul> <li>Remark: After neutralization toxicity cannot be recognized any longer.</li> </ul>	Non-toxic at use dilution.
Additional ecological information:	
• 12.5 Results of PBT and vPvB assessment	
PBT: Not applicable.	Not applicable.
• vPvB: Not applicable.	Not applicable.
• 12.6 Other adverse effects No further relevant information available.	No further relevant information available.

## 13 Disposal considerations

13.1 Waste treatment methods	
Product as SOLD	Product at USE DILUTION
Recommendation	
Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.	Diluted product can be flushed to sanitary sewer. Discard empty container in trash.
Uncleaned packaging:	
Recommendation: Disposal must be made according to local regulations.	Not applicable.
Recommended cleansing agents: Water, if necessary together with cleansing agents.	Not applicable.

14 Transport information	
Product as SOLD	
• 14.1 UN-Number • DOT, ADR, ADN, IMDG, IATA	UN3265
• 14.2 UN proper shipping name • DOT, ADR, ADN, IMDG, IATA	UN3265, CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (glycolic acid), 8, III, Ltd. Qty.
14.3 Transport hazard class(es)     DOT, ADR, ADN, IMDG, IATA     Class	8
• 14.4 Packing group • DOT, ADR, IMDG, IATA	III
14.5 Environmental hazards:     Marine pollutant:	No

(Contd. on page 10)

Trade name: TreadMate® Quarry Tile Floor Cleaner

(Contd. from page 9)

Product as SOLD	
• 14.6 Special precautions for user	Not applicable.
14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Product at USE DILUTION Not intended for transport.	

## 15 Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- United States (USA)
- SARA

Product as SOLD	Product at USE DILUTION
Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	None of the ingredients is listed.
TSCA (Toxic Substances Control Act):	
All ingredients are listed.	All ingredients are listed.
Proposition 65 (California):	
Chemicals known to cause cancer:	
None of the ingredients is listed.	None of the ingredients is listed.
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	None of the ingredients is listed.
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	None of the ingredients is listed.
Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	None of the ingredients is listed.
Carcinogenic Categories	
EPA (Environmental Protection Agency)	
None of the ingredients is listed.	None of the ingredients is listed.
IARC (International Agency for Research on Cancer)	
None of the ingredients is listed.	None of the ingredients is listed.
TLV (Threshold Limit Value established by ACGIH)	
None of the ingredients is listed.	None of the ingredients is listed.
NIOSH-Ca (National Institute for Occupational Safety and Healt	th)
None of the ingredients is listed.	None of the ingredients is listed.

(Contd. on page 11)

Trade name: TreadMate® Quarry Tile Floor Cleaner

(Contd. from page 10)

	Product as SOLD	Product at USE DILUTION
SHA-Ca (Occu	pational Safety & Health Administration)	•
one of the ingre	edients is listed.	None of the ingredients is listed.
anada		
Canadian Dome	stic Substances List (DSL)	
All ingredients ar	e listed.	All ingredients are listed.
Canadian Ingred	lient Disclosure list (limit 0.1%)	
79-14-1	glycolic acid	Not applicable.
25155-30-0	sodium dodecylbenzenesulphonate, pure	Not applicable.
77-92-9	citric acid	Not applicable.
68439-46-3	alcohols, C9-11, ethoxylated	Not applicable.
Canadian Ingred	lient Disclosure list (limit 1%)	
None of the ingre	edients is listed.	None of the ingredients is listed.

<sup>• 15.2</sup> Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Trade name: TreadMate® Quarry Tile Floor Cleaner

(Contd. from page 11)

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

**R38** 

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

Harmful if swallowed. R22 R34 Causes burns. R36 Irritating to eyes.

Irritating to skin. Risk of serious damage to eyes. R41

SDS File Name: AM91 Treadmate Quarry Tile Floor Cleaner SDS

#### Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the

International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labeling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

**ELINCS: European List of Notified Chemical Substances** 

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

#### Sources

SDS Prepared by:

JBE/JER

Revision: 11/08/2017

Steams Packaging Corporation makes no warranty, representation or guarantee as to the accuracy, sufficiency or completeness of the material set forth herein. It is the user's responsibility to determine the safety, toxicity and suitability of his own use, handling and disposal of this product. Since actual use by others is beyond our control, no warranty, expressed or implied, is made by Steams Packaging Corporation as to the effects of such use, the results to be obtained or the safety and toxicity of this product, nor does Steams Packaging Corporation assume any liability arising out of the use by others of this product referred to herein. The data in this SDS relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process. Steams Packaging Corporation does not recommend blending this product with any other chemicals. All information, recommendations and data contained herein concerning this product are based upon information available at the time of writing from recognized technical sources.