

Coffee Pot & Coffee Maker Sanitation Program

Steramine® Sanitizer #2307186



For Preparing Sanitizing Stock Solution

1. Fill Stock Solution bottle #2999563 to indicated line with water.
2. Pour contents of one pack #2307186 *Steramine*® into Stock Solution bottle.
3. Install pump. See sanitizing instructions below.



For Sanitizing 4-cup Coffee Pots and Coffee Makers.

1. Discard coffee filter and grounds from coffee maker. Rinse away any sediment.
2. Fill 4-cup coffee pot with cold water.
3. Add one pump stroke (1 ounce) from Stock Solution Bottle.
4. Pour solution (200ppm active) from coffee pot into coffee maker sump.
5. Brew solution through coffee maker.
6. Allow to remain in equipment for at least 60 seconds, then discard solution.
7. Let coffee maker and components air dry before reuse. No potable water rinse is allowed.

Note: For persistent stains, use *Stearns Coffee Cleaner* #2508084 prior to sanitizing.



coffee pot sanitation program 0124



STEARNS PACKAGING CORPORATION

4200 Sycamore Avenue (53714) • P.O. Box 14495, Madison, Wisconsin 53708
 Telephone: (800) 655-5008 • (608) 246-5150 • Fax: (608) 246-5149
 E-mail: stearns@stearnspkg.com • <http://www.stearnspkg.com>